DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/04/2010 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		295067	B. WING			C 01/02/2008		
NAME OF PROVIDER OR SUPPLIER ORMSBY POST ACUTE REHAB			•	30	EET ADDRESS, CITY, STATE, ZIP CODE 050 N ORMSBY ARSON CITY, NV 89703			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		1	ID PROVIDER'S PLAN OF CORRECT PREFIX (EACH CORRECTIVE ACTION SHO TAG CROSS-REFERENCED TO THE APPR DEFICIENCY)		LD BE	(X5) COMPLETION DATE	
F 000	a result of the complated at your facility on Decinvestigation was confined following complated. The following complated transfer rights were was not treated with the with dignity. The findings and comby the Health Division prohibiting any criminactions or other claim.	ficiencies was generated as aint investigation conducted tember 19, 2007. The inpleted on January 2, 2008. Int was investigated. filleged that 1.) the resident's iolated and 2.) the resident dignity. figure of the dignity.	F	000	DEFICIENCY)			
LABORATORY	DIRECTOR'S OR PROVIDER/	SUPPLIER REPRESENTATIVE'S SIGNATURE	<u> </u>		TITLE		(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.